## APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date o	of filing in State Engineer's Office SEP U 5 1985
	ned to applicant for correction
Correc	ted application filed SEP 0.5 1985 under 49342
The a	pplicant Old Galena Limited
P.O.	Box 2903 of Reno. City or Town
Neva	Street and No. or P.O. Box No.  City or Town  da. 89505  hereby make application for permission to change the State and Zip Code No.
	t of Diversion, Manner of Use and Place of Use of a Portion
of wate	Point of diversion, manner of use, and/or place of use er heretofore appropriated under <u>Permit No. 35148</u> (Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and
	right in Decree.)
1. T	The source of water is Underground  Name of stream, lake, underground spring or other source.
о т	Name of stream, lake, underground spring or other source.  The amount of water to be changed 1.12 ac. ft.
	Second feet, acre feet. One second foot equals 448.83 gallons per minute.
	The water to be used for
	he water heretofore permitted for quasi-municipal  Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.
5. T	The water is to be diverted at the following point SW's of the SE's. Section 2. T. 17N. R. 19E. MDB&M  Describe as being within a 40-acre subdivision of public survey and by course and
đ	at a point from which the South 1 of said section 2 bears S 71 degrees.  O7' 00"W 1212 ft.
	The existing permitted point of diversion is located within NE SE SEC 2, T 17N, R 19E, MDB&M, or
	If point of diversion is not changed, do not answer.  at a point from which the East 's corner of said Sec. 2 bears N. 88 degrees
	201 201 2 0 5 - 1
	roposed place of use South 2 of the SE 2 of Section 2, T 17N, R 19E, MDB&M.
4	Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.
8. E	Existing place of use See Exhibit "A" Attached.  Describe by legal subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or
'n	nanner of use of irrigation permit, describe acreage to be removed from irrigation.
	Jse will be from January 1 to December 31 of each year.  Month and Day Month and Day
10. U	Jse was permitted from January 1 to December 31 of each year.  Month and Day Month and Day
11.7 L	Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
	pecifications of your diversion or storage works.) Wells, pumps, pipelines  State manner in which water is to be diverted, i.e. diversion structure, ditches,
	ipes and flumes, or drilled well, etc.
	Stimated cost of works \$6000
13. E	Estimated time required to construct works36 months

15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.  Single, femily, residence, old Galena, Townsite Subdivision.  Sy illegible  By F.O. Box 2903  Rano, Nev. 89505  Protested.  APPROVAL OF STATE ENGINEER  This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:  This permit to change the point of diversion, place of use and manner of use of a portion of the waters of an underground source as hereotrore granted under Permit 53148 is is saused subject to the terms and conditions imposed in said Permit 35148 and with the understanding that no other rights on the source will be affected by the totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate neasurements must be kept of water placed to beneficial use. The totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate neasurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the protof of completion of work is filled. If the well is flowing a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 34.00 times are designated by the State Engineer pursuant to NRS 34.00 times are designated by the State Engineer pursuant to NRS 34.00 times are designated by the State Engineer pursuant to NRS 34.00 times are designated by the State Engineer pursuant to NRS 34.00 times are designated by the State Engineer pursuant to NRS 34.00 times are designated by the State Engineer pursuant to NRS 34.00 times are designated by the State Engineer pursuant to NRS 34.00 times are designated by the State Engineer pursuant to NRS 34.00 times are designated by the State Engineer pursuant to NRS 34.00 times are designated by the	14.	Estimated time required to complete the application of water to beneficial use 60 months
Sy illegible  By P.O. Box 2903  Reno, Nev. 89505  Protested  APPROVAL OF STATE ENGINEER  This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:  This permit to change the point of diversion, place of use and manner of use of a portion of the waters of an underground source as heretoforce granted under Permit 35148 is issued subject to the terms and conditions imposed in said Permit 35148 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be keep to water placed to beneficial use the protection of contalizing meter must be installed before any use of the water begins or before the proof of completion of work is filled. If the well is floxing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains area designated by the State Engineer pursuant to NRS 534.030. The State retains area designated by the State Engineer pursuant to NRS 534.030. The State retains area designated by the State Engineer pursuant to NRS 534.030. The State retains of the right to regulate the use of the water herein granted at any and all times.  No perforations shall be put in the production casing from ground level to 100 feet.  The approval of Permits 9342 through 9365 inclusive, reduces the diversion rate of Permits 35147 through 35152 inclusive to 4.215 c.f.s. The total combined duty of Permits 35147 through 35152 inclusive is reduced to 478.12 acre-feet per year.  The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed.  0.022	15.	v v
By		Single family residence, Old Galena Townsite Subdivision
By		
By		
Compared		s/ illegible
Protested.  APPECVAL OF STATE ENGINEER  This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:  This permit to change the point of diversion, place of use and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 35148 is issued subject to the terms and conditions imposed in said Permit 35148 sid with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534,030. The State retains the right to regulate the use of the water herein granted at any and all times. No perforations shall be put in the production casing from ground level to 100 feet.  The approval of Permits 49342 through 49365 inclusive, reduces the diversion rate of Permits 35147 through 35152 inclusive to 4.215 c.f.s. The total combined duty of Permits 35147 through 35152 inclusive is reduced to 478.12 acre-feet per year.  The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed.  0.022	Com	pared dn/Sb js/bc Reno, Nev. 89505
This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:  This permit to change the point of diversion, place of use and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 35148 is issued subject to the terms and conditions imposed in said Permit 35148 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NFS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.  No perforations shall be put in the production casing from ground level to 100 feet.  The approval of Permits 49342 through 49365 inclusive, reduces the diversion rate of Permits 35147 through 35152 inclusive to 4.215 c.f.s. The total combined duty of Permits 35147 through 35152 inclusive is reduced to 478.12 acre-feet per year.  The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed.  0.022 cubic feet per second . But not to exceed 1.12 acre-feet per year.  Work must be prosecuted with reasonable diligence and be completed on or before.  April 6, 1989  Proof of the application of water to beneficial use shall be filed on or before.  April 6, 1992  Proof of the application of water to beneficial use shall be filed on or before.  No perfect the perfect of New Ada, have become set my hind and the real of my office, this . 6th	Prot	ested
This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:  This permit to change the point of diversion, place of use and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 35148 is issued subject to the terms and conditions imposed in said Permit 35148 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NFS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.  No perforations shall be put in the production casing from ground level to 100 feet.  The approval of Permits 49342 through 49365 inclusive, reduces the diversion rate of Permits 35147 through 35152 inclusive to 4.215 c.f.s. The total combined duty of Permits 35147 through 35152 inclusive is reduced to 478.12 acre-feet per year.  The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed.  0.022 cubic feet per second . But not to exceed 1.12 acre-feet per year.  Work must be prosecuted with reasonable diligence and be completed on or before.  April 6, 1989  Proof of the application of water to beneficial use shall be filed on or before.  April 6, 1992  Proof of the application of water to beneficial use shall be filed on or before.  No perfect the perfect of New Ada, have become set my hind and the real of my office, this . 6th		APPROVAL OF STATE ENGINEER
This permit to change the point of diversion, place of use and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 35148 is issued subject to the terms and conditions imposed in said Permit 35148 and with the understanding that no other rights on the source will be affected by the charge proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed afore any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NFS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times. No perforations shall be put in the production casing from ground level to 100 feet.  The approval of Permits 49342 through 49365 inclusive, reduces the diversion rate of Permits 35147 through 35152 inclusive to 4.215 c.f.s. The total combined duty of Permits 35147 through 35152 inclusive is reduced to 478.12 acre-feet per year.  The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed		
a portion of the waters of an underground source as heretofore granted under Permit 35148 is issued subject to the terms and conditions imposed in said Permit 35148 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipelaine near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.  No perforations shall be put in the production casing from ground level to 100 feet.  The approval of Permits 49342 through 49365 inclusive, reduces the diversion rate of Permits 35147 through 35152 inclusive to 4.215 c.f.s. The total combined duty of Permits 35147 through 35152 inclusive is reduced to 478.12 acre-feet per year.  The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed.  0.022	follo	
to exceed	351 with characteristics to the point use before the feet and the point use the feet the feet and the point use the feet the point use the point use the feet the point use the point us	A8 is issued subject to the terms and conditions imposed in said Permit 35148 and the understanding that no other rights on the source will be affected by the inge proposed herein. The well shall be equipped with a 2-inch opening and a salizing meter must be installed and maintained in the discharge pipeline near the int of diversion and accurate measurements must be kept of water placed to beneficial. The totalizing meter must be installed before any use of the water begins or fore the proof of completion of work is filed. If the well is flowing, a valve at be installed and maintained to prevent waste. This source is located within an eadesignated by the State Engineer pursuant to NRS 534.030. The State retains a right to regulate the use of the water herein granted at any and all times.  No perforations shall be put in the production casing from ground level to 100 etc.  The approval of Permits 49342 through 49365 inclusive, reduces the diversion are of Permits 35147 through 35152 inclusive to 4.215 c.f.s. The total combined by of Permits 35147 through 35152 inclusive is reduced to 478.12 acre-feet permits.
Work must be prosecuted with reasonable diligence and be completed on or before.  March 6, 1989  Proof of completion of work shall be filed before.  April 6, 1989  Application of water to beneficial use shall be made on or before.  March 6, 1992  Proof of the application of water to beneficial use shall be filed on or before.  April 6, 1992  Map in support of proof of beneficial use shall be filed on or before.  Completion of work filed.  IN TESTIMONY WHEREOF, I.  State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 6th day of March  Cultural map filed.  Certificate No.  Issued.  State Engineer		
Work must be prosecuted with reasonable diligence and be completed on or before.  April 6, 1989  April 6, 1989  April 6, 1992  April 6, 1992  Proof of the application of water to beneficial use shall be filed on or before.  April 6, 1992  Proof of the application of water to beneficial use shall be filed on or before.  April 6, 1992  March 6, 1992  March 6, 1992  March 6, 1992  March 6, 1992  IN TESTIMONY WHEREOF, I  PETER G. MORROS  State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 6th day of March  Cultural map filed.  Certificate No  State Engineer  AD 19 86  State Engineer		• • • • • • • • • • • • • • • • • • •
Proof of completion of work shall be filed before.  April 6, 1989  Application of water to beneficial use shall be made on or before.  March 6, 1992  Proof of the application of water to beneficial use shall be filed on or before.  April 6, 1992  March 6, 1992  Map in support of proof of beneficial use shall be filed on or before.  Completion of work filed.  IN TESTIMONY WHEREOF, I. PETER G. MORROS.  State Engineer of Nevada, have hereunto set my hand and the seal of my office, this. 6th. day of March.  Cultural map filed.  A.D. 19. 86.  Certificate No.  State Engineer  2407 (Rev. 6-81)		
Application of water to beneficial use shall be made on or before.  Proof of the application of water to beneficial use shall be filed on or before.  Map in support of proof of beneficial use shall be filed on or before.  Completion of work filed.  IN TESTIMONY WHEREOF, I.  State Engineer of Nevada, have hereunto set my hand and the seal of Proof of beneficial use filed.  March 6, 1992  April 6, 1992  IN TESTIMONY WHEREOF, I.  PETER G. MORROS  State Engineer of Nevada, have hereunto set my hand and the seal of Proof of beneficial use filed.  A.D. 19 86  Certificate No.  State Engineer		
Proof of the application of water to beneficial use shall be filed on or before.  April 6, 1992  Map in support of proof of beneficial use shall be filed on or before.  Completion of work filed.  IN TESTIMONY WHEREOF, I		
Map in support of proof of beneficial use shall be filed on or before.  Completion of work filed.  IN TESTIMONY WHEREOF, I PETER G. MORROS.  State Engineer of Nevada, have hereunto set my hand and the seal of  my office, this 6th day of March  Cultural map filed.  A.D. 19 86.  State Engineer  2407 (Rev. 6-81)		
Completion of work filed.  IN TESTIMONY WHEREOF, I PETER G. MORROS.  State Engineer of Nevada, have hereunto set my hand and the seal of  my office, this 6th day of March  Cultural map filed.  A.D. 19 86.  State Engineer  2407 (Rev. 6-81)		
Proof of beneficial use filed.  Cultural map filed.  Certificate No	_	•••
Cultural map filed  Certificate No		State Engineer of Nevada, have hereunto set my hand and the seal of
Certificate No		my office, this 6th day of March
2407 (Rev. 6-81) State Engineer		A.D. 19 86
	-	

EXHIBIT "A"

T.18N., R.20E. MDBEM.

All Of Sections 20, 21, 29, 30, 31, 32

T.18N., R.19E., MDBCM.

All of Sections 25 and 36

st sec. 34 St. St NEt, NEt NEt, SEt NWt, Sec. 35

T. 17N. . R. 19E. . MDB&M.

All of Sections 1, 2, 3, 10, 11, 12

SE' NE', E' SE', SW' SE', Sec. 4

**计** 多数数 多数

Et. Et NW, Sec. 9

